


Amendments to the Claims

This listing of claims will replace all prior versions, and listings of claims in the application.

1. (Currently amended) ~~Compounds~~ A compound of the formula (I)




in which

W represents alkoxy, haloalkoxy, alkoxyalkoxy, alkoxybisalkoxy, bisalkoxyalkoxy or optionally substituted cycloalkylalkanediyoxy which may optionally be interrupted by heteroatoms,


X represents halogen,

Y represents alkyl,


CKE represents one of the groups




(1),




(2),




(3),




(4),




(5),



(6),



(7) or



in which

- A represents hydrogen, in each case optionally halogen-substituted alkyl, alkenyl, alkoxyalkyl, alkylthioalkyl, saturated or unsaturated, optionally substituted cycloalkyl in which optionally at least one ring atom is replaced by a heteroatom, or in each case optionally halogen-, alkyl-, haloalkyl-, alkoxy-, haloalkoxy-, cyano- or nitro-substituted aryl, arylalkyl or hetaryl,
- B represents hydrogen, alkyl or alkoxyalkyl, or
- A and B together with the carbon atom to which they are attached represent a saturated or unsaturated, unsubstituted or substituted cycle which optionally contains at least one heteroatom,
- D represents hydrogen or an optionally substituted radical selected from the group consisting of alkyl, alkenyl, alkynyl, alkoxyalkyl, saturated or unsaturated cycloalkyl in which optionally one or more ring members are replaced by heteroatoms, arylalkyl, aryl, hetarylalkyl or hetaryl or
- A and D together with the atoms to which they are attached represent a saturated or unsaturated cycle which optionally (only in the case of CKE = 1) contains at least one heteroatom and which is unsubstituted or substituted in the A,D moiety, or

A and Q¹ together represent alkanediyl or alkenediyl optionally substituted by hydroxyl or by in each case optionally substituted alkyl, alkoxy, alkylthio, cycloalkyl, benzyloxy or aryl or


Q¹ represents hydrogen or alkyl,

Q², Q⁴, Q⁵ and Q⁶ independently of one another represent hydrogen or alkyl,

Q³ represents hydrogen, represents optionally substituted alkyl, alkoxyalkyl, alkylthioalkyl, optionally substituted cycloalkyl-(in which optionally one methylene group is replaced by oxygen or sulphur)₂ or optionally substituted phenyl, or

Q³ and Q⁴ together with the carbon atom to which they are attached represent a saturated or unsaturated, unsubstituted or substituted cycle which optionally contains a heteroatom,

G represents hydrogen (a) or represents one of the groups



in which

E represents a metal ion equivalent or an ammonium ion,

L represents oxygen or sulphur,

M represents oxygen or sulphur,

R¹ represents in each case optionally halogen-substituted alkyl, alkenyl, alkoxyalkyl, alkylthioalkyl, polyalkoxyalkyl or optionally

halogen-, alkyl- or alkoxy-substituted cycloalkyl ~~which may be interrupted~~ in which optionally at least one ring member is replaced by at least one a heteroatom, in each case optionally substituted phenyl, phenylalkyl, hetaryl, phenoxyalkyl or hetaryloxyalkyl,

R² represents in each case optionally halogen-substituted alkyl, alkenyl, alkoxyalkyl, polyalkoxyalkyl or represents in each case optionally substituted cycloalkyl, phenyl or benzyl,

R³, R⁴ and R⁵ independently of one another represent in each case optionally halogen-substituted alkyl, alkoxy, alkylamino, dialkylamino, alkylthio, alkenylthio, cycloalkylthio and represent in each case optionally substituted phenyl, benzyl, phenoxy or phenylthio,

R⁶ and R⁷ independently of one another represent hydrogen, in each case optionally halogen-substituted alkyl, cycloalkyl, alkenyl, alkoxy, alkoxyalkyl, represent optionally substituted phenyl, represent optionally substituted benzyl, or together with the N atom to which they are attached represent a cycle ~~which is optionally interrupted by oxygen or sulphur.~~ in which optionally one methylene group is replaced by oxygen or sulphur.


2. (Currently amended) ~~Compounds~~ A compound of the formula (I) according to Claim 1 in which

W represents C₁-C₆-alkoxy, C₁-C₆-haloalkoxy, C₁-C₄-alkoxy-C₂-C₄-alkoxy, C₁-C₄-alkoxy-bis-C₂-C₄-alkoxy or C₃-C₆-cycloalkyl-C₁-C₂-alkanediyoxy which is optionally mono- to trisubstituted by fluorine, chlorine, C₁-C₃-alkyl or C₁-C₃-alkoxy and in which optionally one methylene group of the ring may be ~~interrupted~~ replaced by oxygen or sulphur,

X represents halogen,

Y represents C₁-C₄-alkyl,

CKE represents one of the groups



A represents hydrogen or in each case optionally halogen-substituted C₁-C₁₂-alkyl, C₃-C₈-alkenyl, C₁-C₁₀-alkoxy-C₁-C₈-alkyl,


- C₁-C₁₀-alkylthio-C₁-C₆-alkyl, optionally halogen-, C₁-C₆-alkyl- or C₁-C₆-alkoxy-substituted C₃-C₈-cycloalkyl in which optionally one or two not directly adjacent ring members are replaced by oxygen ~~and/or~~ or sulphur or represents in each case optionally halogen-, C₁-C₆-alkyl-, C₁-C₆-haloalkyl-, C₁-C₆-alkoxy-, C₁-C₆-haloalkoxy-, cyano- or nitro-substituted phenyl or naphthyl, hetaryl having 5 to 6 ring atoms, phenyl-C₁-C₆-alkyl or naphthyl-C₁-C₆-alkyl,
- B represents hydrogen, C₁-C₁₂-alkyl or C₁-C₈-alkoxy-C₁-C₆-alkyl, or
- A, B and the carbon atom to which they are attached represent saturated C₃-C₁₀-cycloalkyl or unsaturated C₅-C₁₀-cycloalkyl in which optionally one ring member is replaced by oxygen or sulphur and which are optionally mono- or disubstituted by C₁-C₈-alkyl, C₃-C₁₀-cycloalkyl, C₁-C₈-haloalkyl, C₁-C₈-alkoxy, C₁-C₈-alkylthio, halogen or phenyl₂ or
- A, B and the carbon atom to which they are attached represent C₃-C₆-cycloalkyl which is substituted by an alkylenedithiyl or by an alkylenedioxy or by an alkylenediyl group which optionally contains one or two not directly adjacent oxygen ~~and/or~~ or sulphur atoms and which is optionally substituted by C₁-C₄-alkyl, which, together with the carbon atom to which it is attached, forms a further five- to eight-membered ring₂ or
- A, B and the carbon atom to which they are attached represent C₃-C₈-cycloalkyl or C₅-C₈-cycloalkenyl in which two substituents together with the carbon atoms to which they are attached represent in each case optionally C₁-C₆-alkyl-, C₁-C₆-alkoxy- or halogen-substituted

C₂-C₆-alkanediyl, C₂-C₆-alkenediyl or C₄-C₆-alkanedienediyl in which optionally one methylene group is replaced by oxygen or sulphur,


D represents hydrogen, in each case optionally halogen-substituted C₁-C₁₂-alkyl, C₃-C₈-alkenyl, C₃-C₈-alkynyl, C₁-C₁₀-alkoxy-C₂-C₈-alkyl, optionally halogen-, C₁-C₄-alkyl-, C₁-C₄-alkoxy- or C₁-C₄-haloalkyl-substituted C₃-C₈-cycloalkyl in which optionally one ring member is replaced by oxygen or sulphur or in each case optionally halogen-, C₁-C₆-alkyl-, C₁-C₆-haloalkyl-, C₁-C₆-alkoxy-, C₁-C₆-haloalkoxy-, cyano- or nitro-substituted phenyl, hetaryl having 5 or 6 ring atoms, phenyl-C₁-C₆-alkyl or hetaryl-C₁-C₆-alkyl having 5 or 6 ring atoms, or

A and D together represent in each case optionally substituted C₃-C₆-alkanediyl or C₃-C₆-alkenediyl in which optionally (only in the case of CKE = (1)) one methylene group is replaced by a carbonyl group, oxygen or sulphur, ~~possible substituents being in each case:~~ optionally substituted in each case by halogen, hydroxyl, mercapto or in each case optionally halogen-substituted C₁-C₁₀-alkyl, C₁-C₆-alkoxy, C₁-C₆-alkylthio, C₃-C₇-cycloalkyl, phenyl or benzyloxy, or a further C₃-C₆-alkanediyl grouping, C₃-C₆-alkenediyl grouping or a butadienyl grouping which is optionally substituted by C₁-C₆-alkyl or in which optionally two adjacent substituents together with the carbon atoms to which they are attached


form a further saturated or unsaturated cycle having 5 or 6 ring atoms (~~in the case of the compound of the formula (I-1), A and D together with the atoms to which they are attached then represent, for example, the groups AD-1 to AD-10 mentioned below)~~ comprising groups AD-1 to AD-10




AD-1




AD-2




AD-3




AD-4




AD-5




AD-6




AD-7



AD-8




AD-9




AD-10

which may contain oxygen or sulphur, or which optionally contains one of the following groups



or

A and Q¹ together represent C₃-C₆-alkanediyl or C₄-C₆-alkenediyl, each of which is optionally mono- or disubstituted by identical or different substituents from the group consisting of halogen, hydroxyl, of C₁-C₁₀-alkyl, C₁-C₆-alkoxy, C₁-C₆-alkylthio, C₃-C₇-cycloalkyl each of which is optionally mono- to trisubstituted by identical or different halogen, and of benzyloxy and phenyl, each of which is optionally mono- to trisubstituted by identical or different substituents from the group consisting of halogen, C₁-C₆-alkyl and C₁-C₆-alkoxy, which C₃-C₆-alkanediyl or C₄-C₆-alkenediyl moreover optionally contains one of the groups below



or is bridged by a C₁-C₂-alkanediyl group or by an oxygen atom or


Q¹ represents hydrogen or C₁-C₄-alkyl,

Q², Q⁴, Q⁵ and Q⁶ independently of one another represent hydrogen or C₁-C₄-alkyl,

Q³ represents hydrogen, C₁-C₆-alkyl, C₁-C₆-alkoxy-C₁-C₂-alkyl, C₁-C₆-alkylthio-C₁-C₂-alkyl, optionally C₁-C₄-alkyl- or C₁-C₄-alkoxy-substituted C₃-C₈-cycloalkyl in which optionally one methylene group is replaced by oxygen or sulphur or represents phenyl which is optionally substituted by halogen, C₁-C₄-alkyl, C₁-C₄-alkoxy, C₁-C₂-haloalkyl, C₁-C₂-haloalkoxy, cyano or nitro, or

Q³ and Q⁴ together with the carbon atom to which they are attached represent a C₃-C₇-ring which is optionally substituted by C₁-C₄-alkyl, C₁-C₄-alkoxy or C₁-C₂-haloalkyl and in which optionally one ring member is replaced by oxygen or sulphur,

G represents hydrogen (a) or represents one of the groups



in which

E represents a metal ion equivalent or an ammonium ion,

L represents oxygen or sulphur and

M represents oxygen or sulphur,

R¹ represents in each case optionally halogen-substituted C₁-C₂₀-alkyl, C₂-C₂₀-alkenyl, C₁-C₈-alkoxy-C₁-C₈-alkyl, C₁-C₈-alkylthio-C₁-C₈-alkyl, poly-C₁-C₈-alkoxy-C₁-C₈-alkyl or optionally halogen-, C₁-C₆-alkyl- or C₁-C₆-alkoxy-substituted C₃-C₈-cycloalkyl in which optionally one or more not directly adjacent ring members are replaced by oxygen ~~and/or~~ or sulphur, represents optionally halogen-, cyano-, nitro-, C₁-C₆-alkyl-, C₁-C₆-alkoxy-, C₁-C₆-haloalkyl-, C₁-C₆-haloalkoxy-, C₁-C₆-alkylthio- or C₁-C₆-alkylsulphonyl-substituted phenyl, represents optionally halogen-, nitro-, cyano-, C₁-C₆-alkyl-, C₁-C₆-alkoxy-, C₁-C₆-haloalkyl- or C₁-C₆-haloalkoxy-substituted phenyl-C₁-C₆-alkyl,

represents optionally halogen- or C₁-C₆-alkyl-substituted 5- or 6-membered hetaryl,

represents optionally halogen- or C₁-C₆-alkyl-substituted phenoxy-C₁-C₆-alkyl or

represents optionally halogen-, amino- or C₁-C₆-alkyl-substituted 5- or 6-membered hetaryloxy-C₁-C₆-alkyl,

R² represents in each case optionally halogen-substituted C₁-C₂₀-alkyl, C₂-C₂₀-alkenyl, C₁-C₈-alkoxy-C₂-C₈-alkyl, poly-C₁-C₈-alkoxy-C₂-C₈-alkyl, represents optionally halogen-, C₁-C₆-alkyl- or C₁-C₆-alkoxy-substituted C₃-C₈-cycloalkyl or represents in each case optionally halogen-, cyano-, nitro-, C₁-C₆-alkyl-, C₁-C₆-alkoxy-, C₁-C₆-haloalkyl- or C₁-C₆-haloalkoxy-substituted phenyl or benzyl,

R³ represents optionally halogen-substituted C₁-C₈-alkyl or represents in each case optionally halogen-, C₁-C₆-alkyl-, C₁-C₆-alkoxy-, C₁-C₄-haloalkyl-, C₁-C₄-haloalkoxy-, cyano- or nitro-substituted phenyl or benzyl,

R⁴ and R⁵ independently of one another represent in each case optionally halogen-substituted C₁-C₈-alkyl, C₁-C₈-alkoxy, C₁-C₈-alkylamino, di-(C₁-C₈-alkyl)amino, C₁-C₈-alkylthio, C₂-C₈-alkenylthio,

C₃-C₇-cycloalkylthio or represent in each case optionally halogen-, nitro-, cyano-, C₁-C₄-alkoxy-, C₁-C₄-haloalkoxy-, C₁-C₄-alkylthio-, C₁-C₄-haloalkylthio-, C₁-C₄-alkyl- or C₁-C₄-haloalkyl-substituted phenyl, phenoxy or phenylthio,

R⁶ and R⁷ independently of one another represent hydrogen, represent in each case optionally halogen-substituted C₁-C₈-alkyl, C₃-C₈-cycloalkyl, C₁-C₈-alkoxy, C₃-C₈-alkenyl, C₁-C₈-alkoxy-C₁-C₈-alkyl, represent optionally halogen-, C₁-C₈-haloalkyl-, C₁-C₈-alkyl- or C₁-C₈-alkoxy-substituted phenyl, represent optionally halogen-, C₁-C₈-alkyl-, C₁-C₈-haloalkyl- or C₁-C₈-alkoxy-substituted benzyl or together represent an optionally C₁-C₄-alkyl-substituted C₃-C₆-alkylene radical in which optionally one carbon atom is replaced by oxygen or sulphur,

R¹³ represents hydrogen, represents in each case optionally halogen-substituted C₁-C₈-alkyl or C₁-C₈-alkoxy, represents optionally halogen-, C₁-C₄-alkyl- or C₁-C₄-alkoxy-substituted C₃-C₈-cycloalkyl in which optionally one methylene group is replaced by oxygen or sulphur or represents in each case optionally halogen-, C₁-C₆-alkyl-, C₁-C₆-alkoxy-, C₁-C₄-haloalkyl-, C₁-C₄-haloalkoxy-, nitro- or cyano-substituted phenyl, phenyl-C₁-C₄-alkyl or phenyl-C₁-C₄-alkoxy,

R^{14a} represents hydrogen or C₁-C₈-alkyl, or

R¹³ and R^{14a} together represent C₄-C₆-alkanediyl,

R^{15a} and R^{16a} are identical or different and represent C₁-C₆-alkyl, or

R^{15a} and R^{16a} together represent a C₂-C₄-alkanediyl radical which is optionally substituted by C₁-C₆-alkyl, C₁-C₆-haloalkyl or ~~by~~ optionally by halogen-, C₁-C₆-alkyl-, C₁-C₄-haloalkyl-, C₁-C₆-alkoxy-, C₁-C₄-haloalkoxy-, nitro- or cyano-substituted phenyl,

R^{17a} and R^{18a} independently of one another represent hydrogen, represent optionally halogen-substituted C₁-C₈-alkyl or represent optionally halogen-, C₁-C₆-alkyl-, C₁-C₆-alkoxy-, C₁-C₄-haloalkyl-, C₁-C₄-haloalkoxy-, nitro- or cyano-substituted phenyl, or

R^{17a} and R^{18a} together with the carbon atom to which they are attached represent a carbonyl group or represent optionally halogen-, C₁-C₄-alkyl- or C₁-C₄-alkoxy-substituted C₅-C₇-cycloalkyl in which optionally one methylene group is replaced by oxygen or sulphur,

R^{19a} and R^{20a} independently of one another represent C₁-C₁₀-alkyl, C₂-C₁₀-alkenyl, C₁-C₁₀-alkoxy, C₁-C₁₀-alkylamino, C₃-C₁₀-alkenylamino, di-(C₁-C₁₀-alkyl)amino or di-(C₃-C₁₀-alkenyl)amino.

3. (Currently amended) ~~Compounds~~ A compound of the formula (I) according to Claim 1 in which





W represents C₁-C₄-alkoxy, C₁-C₄-haloalkoxy, C₁-C₃-alkoxy-C₂-C₃-alkoxy, C₁-C₂-alkoxy-bis-C₂-C₃-alkoxy or C₃-C₆-cycloalkyl-C₁-C₂-alkanediyoxy

in which optionally one methylene group of the ring ~~may be~~ is replaced by oxygen,

X represents chlorine or bromine,

Y represents methyl, ethyl or propyl,

CKE represents one of the groups



A represents hydrogen, represents C₁-C₆-alkyl or

C₁-C₄-alkoxy-C₁-C₂-alkyl, each of which is optionally mono- to

trisubstituted by fluorine or chlorine, represents C₃-C₆-cycloalkyl which

is optionally mono- to disubstituted by C₁-C₂-alkyl or C₁-C₂-alkoxy or

- (but not in the case of the compounds of the formulae (I-3), (I-4), (I-6) and (I-7)) represents phenyl or benzyl, each of which is optionally mono- to disubstituted by fluorine, chlorine, bromine, C₁-C₄-alkyl, C₁-C₂-haloalkyl, C₁-C₄-alkoxy or C₁-C₂-haloalkoxy, cyano or nitro,
- B represents hydrogen, C₁-C₄-alkyl or C₁-C₂-alkoxy-C₁-C₂-alkyl, or
- A, B and the carbon atom to which they are attached represent saturated or unsaturated C₅-C₇-cycloalkyl in which optionally one ring member is replaced by oxygen or sulphur and which is optionally mono- to disubstituted by C₁-C₆-alkyl, trifluoromethyl or C₁-C₆-alkoxy, with the proviso that in this case Q³ represents hydrogen or methyl, or
- A, B and the carbon atom to which they are attached represent C₅-C₆-cycloalkyl which is optionally substituted by an alkylenedithiol group or by an alkylenedioxyl group or by an alkylenediyl group which optionally contains one or two not directly adjacent oxygen or sulphur atoms and which is optionally substituted by methyl or ethyl, which group, together with the carbon atom to which it is attached, forms a further five- or six-membered ring, with the proviso that in this case Q³ represents hydrogen or methyl,
- A, B and the carbon atom to which they are attached represent C₃-C₆-cycloalkyl or C₅-C₆-cycloalkenyl in which two substituents together with the carbon atoms to which they are attached represent in each case optionally C₁-C₂-alkyl- or C₁-C₂-alkoxy-substituted


C₂-C₄-alkanediyl, C₂-C₄-alkenediyl or butadienediyl, with the proviso

that in this case Q³ represents hydrogen or methyl,


D represents hydrogen, represents C₁-C₆-alkyl, C₃-C₆-alkenyl or C₁-C₄-alkoxy-C₂-C₃-alkyl, each of which is optionally mono- to trisubstituted by fluorine, represents C₃-C₆-cycloalkyl which is optionally mono- to disubstituted by C₁-C₄-alkyl, C₁-C₄-alkoxy or C₁-C₂-haloalkyl and in which optionally one methylene group is replaced by oxygen or (but not in the case of the compounds of the formula (I-1)) represents phenyl or pyridyl, each of which is optionally mono- to disubstituted by fluorine, chlorine, bromine, C₁-C₄-alkyl, C₁-C₄-haloalkyl, C₁-C₄-alkoxy or C₁-C₄-haloalkoxy, or

A and D together represent optionally mono- to disubstituted C₃-C₅-alkanediyl in which optionally (only in the case of CKE = (1)) one methylene group may be replaced by oxygen or sulphur, ~~possible substituents being~~ optionally substituted by C₁-C₂-alkyl or C₁-C₂-alkoxy, or


A and D (in the case of the compounds of the formula (I-1)) together with the atoms to which they are attached represent one of the groups AD-1 to AD-10:




AD-1




AD-2




AD-3




AD-4




AD-5




AD-6




AD-7



AD-8



AD-9



AD-10

or

A and Q¹ together represent C₃-C₄-alkanediyl which is optionally mono- or disubstituted by identical or different substituents from the group consisting of C₁-C₂-alkyl and C₁-C₂-alkoxy or

Q¹ represents hydrogen,


Q² represents hydrogen,

Q⁴, Q⁵ and Q⁶ independently of one another represent hydrogen or C₁-C₃-alkyl,

Q³ represents hydrogen, C₁-C₄-alkyl or C₃-C₆-cycloalkyl which is optionally mono- to disubstituted by methyl or methoxy, or

Q³ and Q⁴ together with the carbon to which they are attached represent a saturated C₅-C₆-ring which is optionally substituted by C₁-C₂-alkyl or C₁-C₂-alkoxy and in which optionally one ring member is replaced by oxygen or sulphur, with the proviso that in this case A represents hydrogen or methyl, or

G represents hydrogen (a) or represents one of the groups



in which

E represents a metal ion equivalent or an ammonium ion,

L represents oxygen or sulphur and

M represents oxygen or sulphur,


R¹ represents C₁-C₈-alkyl, C₂-C₈-alkenyl, C₁-C₄-alkoxy-C₁-C₂-alkyl, C₁-C₄-alkylthio-C₁-C₂-alkyl, each of which is optionally mono- to trisubstituted by fluorine or chlorine, or C₃-C₆-cycloalkyl which is optionally mono- to disubstituted by fluorine, chlorine, C₁-C₂-alkyl or C₁-C₂-alkoxy and in which optionally one or two not directly adjacent ring members are replaced by oxygen,


- represents phenyl which is optionally mono- to disubstituted by fluorine, chlorine, bromine, cyano, nitro, C₁-C₄-alkyl, C₁-C₄-alkoxy, C₁-C₂-haloalkyl or C₁-C₂-haloalkoxy,
- R² represents C₁-C₈-alkyl, C₂-C₈-alkenyl or C₁-C₄-alkoxy-C₂-C₄-alkyl, each of which is optionally mono- to trisubstituted by fluorine, represents C₃-C₆-cycloalkyl which is optionally monosubstituted by C₁-C₂-alkyl or C₁-C₂-alkoxy or represents phenyl or benzyl, each of which is optionally mono- to disubstituted by fluorine, chlorine, bromine, cyano, nitro, C₁-C₄-alkyl, C₁-C₃-alkoxy, trifluoromethyl or trifluoromethoxy,
- R³ represents C₁-C₆-alkyl which is optionally mono- to trisubstituted by fluorine or represents phenyl which is optionally monosubstituted by fluorine, chlorine, bromine, C₁-C₄-alkyl, C₁-C₄-alkoxy, trifluoromethyl, trifluoromethoxy, cyano or nitro,
- R⁴ represents C₁-C₆-alkyl, C₁-C₆-alkoxy, C₁-C₆-alkylamino, di-(C₁-C₆-alkyl)amino, C₁-C₆-alkylthio, C₃-C₄-alkenylthio, C₃-C₆-cycloalkylthio or represents phenyl, phenoxy or phenylthio, each of which is optionally monosubstituted by fluorine, chlorine, bromine, nitro, cyano, C₁-C₃-alkoxy, C₁-C₃-haloalkoxy, C₁-C₃-alkylthio, C₁-C₃-haloalkylthio, C₁-C₃-alkyl or trifluoromethyl,
- R⁵ represents C₁-C₆-alkoxy or C₁-C₆-alkylthio,

- R^6 represents hydrogen, C_1 - C_6 -alkyl, C_3 - C_6 -cycloalkyl, C_1 - C_6 -alkoxy, C_3 - C_6 -alkenyl, C_1 - C_6 -alkoxy- C_1 - C_4 -alkyl, represents phenyl which is optionally monosubstituted by fluorine, chlorine, bromine, trifluoromethyl, C_1 - C_4 -alkyl or C_1 - C_4 -alkoxy, represents benzyl which is optionally monosubstituted by fluorine, chlorine, bromine, C_1 - C_4 -alkyl, trifluoromethyl or C_1 - C_4 -alkoxy,
- R^7 represents C_1 - C_6 -alkyl, C_3 - C_6 -alkenyl or C_1 - C_6 -alkoxy- C_1 - C_4 -alkyl,
- R^6 and R^7 together represent a C_4 - C_5 -alkylene radical which is optionally substituted by methyl or ethyl and in which optionally one methylene group is replaced by oxygen or sulphur.

4. (Currently amended) ~~Compounds~~ A compound of the formula (I) according to Claim 1 in which

- W represents methoxy, ethoxy, n-propoxy, isopropoxy, n-butoxy, isobutoxy, sec-butoxy, methoxyethoxy, ethoxyethoxy, cyclopropylmethoxy, cyclopentylmethoxy or cyclohexylmethoxy,
- X represents chlorine or bromine,
- Y represents methyl or ethyl,
- CKE represents one of the groups





- A represents hydrogen, represents C₁-C₄-alkyl or C₁-C₂-alkoxy-C₁-C₂-alkyl, each of which is optionally mono- to trisubstituted by fluorine, represents cyclopropyl, cyclopentyl or cyclohexyl and (only in the case of the compounds of the formula (I-5)) represents phenyl which is optionally monosubstituted by fluorine, chlorine, bromine, methyl, ethyl, n-propyl, isopropyl, methoxy, ethoxy, trifluoromethyl, trifluoromethoxy, cyano or nitro,
- B represents hydrogen, methyl or ethyl, or
- A, B and the carbon atom to which they are attached represent saturated C₅-C₆-cycloalkyl in which optionally one ring member is replaced by oxygen or sulphur and which is optionally monosubstituted by methyl, ethyl, propyl, isopropyl, trifluoromethyl, methoxy, ethoxy, propoxy or butoxy, with the proviso that in this case Q³ represents hydrogen, or

A, B and the carbon atom to which they are attached represent C₆-cycloalkyl which is substituted by an alkylenedioxyl group having two not directly adjacent oxygen atoms, with the proviso that in this case Q³ represents hydrogen, or

A, B and the carbon atom to which they are attached represent C₅-C₆--cycloalkyl or C₅-C₆-cycloalkenyl in which two substituents together with the carbon atoms to which they are attached represent C₂-C₄-alkanediyl or C₂-C₄-alkenediyl or butadienediyl, with the proviso that in this case Q³ represents hydrogen,

D represents hydrogen, represents C₁-C₄-alkyl, C₃-C₄-alkenyl or C₁-C₄-alkoxy-C₂-C₃-alkyl, each of which is optionally mono- or trisubstituted by fluorine, represents cyclopropyl, cyclopentyl or cyclohexyl or (but not in the case of the compounds of the formula (I-1)) represents phenyl or pyridyl, each of which is optionally monosubstituted by fluorine, chlorine, methyl, ethyl, n-propyl, isopropyl, methoxy, ethoxy or trifluoromethyl,

or

A and D together represent C₃-C₅-alkanediyl which is optionally monosubstituted by methyl or methoxy and in which optionally (only in the case of CKE = (1)) one carbon atom is replaced by oxygen or sulphur, or represents the group AD-1,

A and Q¹ together represent C₃-C₄-alkanediyl which is optionally mono- or disubstituted by methyl or methoxy, or

Q¹ represents hydrogen,

Q² represents hydrogen,

Q⁴, Q⁵ and Q⁶ independently of one another represent hydrogen or methyl,

Q³ represents hydrogen, methyl, ethyl or propyl, or

Q³ and Q⁴ together with the carbon to which they are attached represent a saturated C₅-C₆-ring which is optionally monosubstituted by methyl or methoxy, with the proviso that in this case A represents hydrogen,

G represents hydrogen (a) or represents one of the groups



in which

E represents an ammonium ion,

L represents oxygen or sulphur and

M represents oxygen or sulphur,

R¹ represents C₁-C₆-alkyl, C₂-C₆-alkenyl, C₁-C₂-alkoxy-C₁-alkyl,

C₁-C₂-alkylthio-C₁-alkyl or represents C₃-C₆-cyclopropyl which is

optionally monosubstituted by fluorine, chlorine, methyl or methoxy or

represents C₁-C₄-alkyl which is monosubstituted by chlorine,

represents phenyl which is optionally monosubstituted by fluorine,

chlorine, bromine, cyano, nitro, methyl, methoxy, trifluoromethyl or

trifluoromethoxy,

R² represents phenyl or benzyl, C₁-C₈-alkyl, C₂-C₆-alkenyl or C₁-C₄-alkoxy-C₂-C₃-alkyl, each of which is optionally mono- to trisubstituted by fluorine,

R³ represents C₁-C₆-alkyl.


5. (Currently amended) ~~Compounds~~ A compound of the formula (I) according to Claim 1 in which

W represents methoxy, ethoxy, n-propoxy, methoxyethoxy or cyclopropylmethoxy,

X represents chlorine,

Y represents methyl,

CKE represents one of the groups




A represents methyl, isopropyl, isobutyl or cyclopropyl,

B represents hydrogen, methyl or ethyl,

A, B and the carbon atom to which they are attached represent saturated C₅-C₆-cycloalkyl in which optionally one ring atom is replaced by oxygen and which is optionally monosubstituted by methyl or methoxy,

D represents hydrogen, methyl or ethyl,

G represents hydrogen (a) or represents one of the groups




E represents an ammonium ion,

- R^1 represents C_1 - C_6 -alkyl, C_1 - C_2 -alkoxy- C_1 -alkyl, C_3 - C_6 -cycloalkyl,
 C_1 - C_4 -alkyl which is monosubstituted by chlorine or represents phenyl
which is optionally monosubstituted by chlorine,
- R^2 represents C_1 - C_8 -alkyl, C_3 - C_6 -alkenyl or benzyl,
- R^3 represents C_1 - C_6 -alkyl.

6. (Currently amended) ~~Process A~~ a process for preparing compounds ~~a compound~~ of the formula (I) according to Claim 1, ~~characterized in that, to obtain~~ comprising


(A) obtaining a compound ~~compounds~~ of the formula (I-1-a)



in which

A, B, D, W, X and Y are as defined above,

by the intramolecular condensation of a compound ~~compounds~~ of the formula (II)



in which


A, B, D, W, X and Y are as defined above,

and

R^8 represents alkyl,

~~are condensed intramolecularly~~ in the presence of a diluent and in the presence of a base,


(B) obtaining a compound ~~compounds~~ of the formula (I-2-a)



in which

A, B, W, X and Y are as defined above,

by the intramolecular condensation of a compound ~~compounds~~ of the formula (III)




in which

A, B, W, X, Y and R^8 are as defined above,

~~are condensed intramolecularly~~ in the presence of a diluent and in the presence of a base,


(C) obtaining a compound ~~compounds~~ of the formula (I-3-a)



in which

A, B, W, X and Y are as defined above,

by the intramolecular cyclization of a compound ~~compounds~~ of the formula (IV)




in which

A, B, W, X, Y and R⁸ are as defined above and

V represents hydrogen, halogen, alkyl or alkoxy,

~~are cyclized intramolecularly~~, if appropriate in the presence of a diluent and in the presence of an acid,


(D) obtaining a compound ~~compounds~~ of the formula (I-4-a)



in which

A, D, W, X and Y are as defined above,

by reacting a compound ~~compounds~~ of the formula (V)



in which

A and D are as defined above,


or compounds of the formula (Va)



in which

A, D and R⁸ are as defined above,

~~are reacted with compounds~~ with a compound of the formula (VI)



in which


W, X and Y are as defined above and

Hal represents halogen,

if appropriate in the presence of a diluent and if appropriate in the

presence of an acid acceptor,

(E) obtaining a compound ~~compounds~~ of the formula (I-5-a)



in which

A, W, X and Y are as defined above,


by the reaction of a compound ~~compounds~~ of the formula (VII)



in which

A is as defined above,

~~are reacted with compounds~~ with a compound of the formula (VI)




in which

Hal, W, X and Y are as defined above,

if appropriate in the presence of a diluent and if appropriate in the presence of an acid acceptor,


(F) obtaining a compound ~~compounds~~ of the formula (I-6-a)



in which

A, B, Q¹, Q², W, X and Y are as defined above,

by the intramolecular cyclization of a compound ~~compounds~~ of the formula (VIII)




in which

A, B, Q¹, Q², W, X and Y are as defined above, and

R⁸ represents alkyl,

~~are cyclized intramolecularly~~, if appropriate in the presence of a diluent
and if appropriate in the presence of a base,


(G) obtaining a compound ~~compounds~~ of the formula (I-7-a)



in which

A, B, Q³, Q⁴, Q⁵, Q⁶, W, X and Y are as defined above,

by the intramolecular condensation of a compound ~~compounds~~ of the
formula (IX)



in which


A, B, Q³, Q⁴, Q⁵, Q⁶, W, X and Y are as defined above

and

R⁸ represents alkyl,

~~are condensed intramolecularly~~ in the presence of a diluent and in the
presence of a base,


(H) obtaining a compound ~~compounds~~ of the formula (I-8-a)



in which

A, D, W, X and Y are as defined above,


by the reaction of a compound ~~compounds~~ of the formula (X)



in which

A and D are as defined above,

~~a) are reacted with compounds~~ a) are reacted with compounds of the formula (VI)




in which

Hal, X, Y and W are as defined above,

if appropriate in the presence of a diluent and if appropriate in the

presence of an acid acceptor, or

~~b) are reacted with compounds~~ b) are reacted with compounds of the formula (XI)




in which

W, X and Y are as defined above,

and U represents NH_2 or O-R^8 , where R^8 is as defined above,

if appropriate in the presence of a diluent and if appropriate in the presence of a base, or

~~γ) c)~~ are reacted with compounds with a compound of the formula (XII)



in which

A, D, W, X, Y and R^8 are as defined above,

if appropriate in the presence of a diluent and if appropriate in the presence of a base,

(I) obtaining a compound ~~compounds~~ of the formulae formula (I-1-b) to (I-8-b) shown above in which A, B, D, Q^1 , Q^2 , Q^3 , Q^4 , Q^5 , Q^6 , R^1 , W, X and Y are as defined above, by the reaction of a compound ~~compounds~~ of the formulae formula (I-1-a) to (I-8-a) shown above in which A, B, D, Q^1 , Q^2 , Q^3 , Q^4 , Q^5 , Q^6 , W, X and Y are as defined above are in each case

(α) (a) reacted with acid halides ~~an acid halide~~ of the formula (XIII)



in which

R^1 is as defined above and

Hal represents halogen,

or

(B) ~~(b) reacted with a carboxylic anhydrides~~ anhydride of the formula (XIV)



in which

R^1 is as defined above,

if appropriate in the presence of a diluent and if appropriate in the presence of an acid binder,

(J) obtaining a compound ~~compounds~~ of the formulae formula (I-1-c) to (I-8-c) shown above in which A, B, D, Q^1 , Q^2 , Q^3 , Q^4 , Q^5 , Q^6 , R^2 , M, W, X and Y are as defined above and L represents oxygen, by the reaction of a compound ~~compounds~~ of the formulae formula (I-1-a) to (I-8-a) shown above in which A, B, D, Q^1 , Q^2 , Q^3 , Q^4 , Q^5 , Q^6 , W, X and Y are as defined above are in each case

~~reacted with a chloroformic esters~~ ester or a chloroformic thioesters ~~thioester~~ of the formula (XV)



in which

R^2 and M are as defined above,

if appropriate in the presence of a diluent and if appropriate in the presence of an acid binder,

(K) obtaining a compound ~~compounds~~ of the formulae formula (I-1-c) to (I-8-c) shown above in which A, B, D, Q^1 , Q^2 , Q^3 , Q^4 , Q^5 , Q^6 , R^2 , M, W, X

and Y are as defined above and L represents sulphur, by the reaction of a compound compounds of the formulae formula (I-1-a) to (I-8-a) shown above in which A, B, D, Q¹, Q², Q³, Q⁴, Q⁵, Q⁶, W, X and Y are as defined above are in each case reacted with a chloromonothioformic esters ester or a chlorodithioformic esters ester of the formula (XVI)



in which

M and R² are as defined above,

if appropriate in the presence of a diluent and if appropriate in the presence of an acid binder,

and

- (L) obtaining a compound compounds of the formulae formula (I-1-d) to (I-8-d) shown above in which A, B, D, Q¹, Q², Q³, Q⁴, Q⁵, Q⁶, R³, W, X and Y are as defined above, by the reaction of a compound compounds of the formulae formula (I-1-a) to (I-8-a) shown above in which A, B, D, Q¹, Q², Q³, Q⁴, Q⁵, Q⁶, W, X and Y are as defined above are in each case reacted with a sulphonyl ehlerides chloride of the formula (XVII)



in which

R³ is as defined above,

if appropriate in the presence of a diluent and if appropriate in the presence of an acid binder,

- (M) obtaining a compound ~~compounds~~ of the ~~formulae~~ formula (I-1-e) to (I-8-e) shown above in which A, B, D, L, Q¹, Q², Q³, Q⁴, Q⁵, Q⁶, R⁴, R⁵, W, X and Y are as defined above, by the reaction of a compound ~~compounds~~ of the formulae (I-1-a) to (I-8-a) shown above in which A, B, D, Q¹, Q², Q³, Q⁴, Q⁵, Q⁶, W, X and Y are as defined above are in each case reacted with a phosphorus ~~compounds~~ compound of the formula (XVIII)




in which

L, R⁴ and R⁵ are as defined above and

Hal represents halogen,

if appropriate in the presence of a diluent and if appropriate in the presence of an acid binder,

- (N) obtaining a compound ~~compounds~~ of the ~~formulae~~ formula (I-1-f) to (I-8-f) shown above in which A, B, D, E, Q¹, Q², Q³, Q⁴, Q⁵, Q⁶, W, X and Y are as defined above, by the reaction of a compound ~~compounds~~ of the ~~formulae~~ formula (I-1-a) to (I-8-a) shown above in which A, B, D, Q¹, Q², Q³, Q⁴, Q⁵, Q⁶, W, X and Y are as defined above are in each case reacted with a metal ~~compounds or amines~~ compound or an amine of the ~~formulae~~ formula (XIX) and (XX), respectively,



in which

Me represents a mono- or divalent metal,

t represents the number 1 or 2 and

R¹⁰, R¹¹, R¹² independently of one another represent hydrogen or alkyl, if appropriate in the presence of a diluent,

- (O) obtaining a compound ~~compounds~~ of the ~~formulae~~ formula (I-1-g) to (I-8-g) shown above in which A, B, D, L, Q¹, Q², Q³, Q⁴, Q⁵, Q⁶, R⁶, R⁷, W, X and Y are as defined above, by the reaction of a compound ~~compounds~~ of the ~~formulae~~ formula (I-1-a) to (I-8-a) shown above in which A, B, D, Q¹, Q², Q³, Q⁴, Q⁵, Q⁶, W, X and Y are as defined above are in each case

- (α) ~~reacted with isocyanates or isothiocyanates~~ an isocyanate or isothiocyanate of the formula (XXI)



in which

R⁶ and L are as defined above,

if appropriate in the presence of a diluent and if appropriate in the presence of a catalyst, or

- (β) ~~reacted with carbamoyl chlorides or thiocarbamoyl chlorides~~ a carbamoyl chloride or a thiocarbamoyl chloride of the formula (XXII)








in which

L, R⁶ and R⁷ are as defined above,

if appropriate in the presence of a diluent and if appropriate in the presence of an acid binder,

- (P) obtaining a compound compounds of the formulae formula (I-1-a) to (I-8-a) shown above in which A, B, D, Q¹, Q², Q³, Q⁴, Q⁵, Q⁶, W, X and Y are as defined above, by the reaction of a compound compounds of the formulae formula (I-1-a') to (I-8-a') in which A, B, D, Q¹, Q², Q³, Q⁴, Q⁵, Q⁶, X and Y are as defined above and W' represents bromine





are reacted with alcohols with an alcohol of the formula




in which

W is as defined above, if appropriate in the presence of a solvent, a

Cu(I) salt and a strong base.

7. (Currently amended) A compound selected from the group consisting of:


~~Compounds~~ compounds of formula (II)



in which

R^8 , A, B, D, W, X and Y are as defined above.


compounds of formula (III)



in which

R^8 , A, B, W, X and Y are as defined above.

compounds of formula (IV)




in which

A, B, W, X, Y and R^8 are as defined above and

V represents hydrogen, halogen, alkyl or alkoxy.

compounds of formula (VI)




in which

W, X and Y are as defined above and

~~Hal~~ represents halogen.


compounds of formula (VII) (VIII)



~~in which~~

~~A, B, Q¹, Q², R⁸, W, X and Y~~ are as defined above.


compounds of formula (IX)



~~in which~~

~~A, B, Q³, Q⁴, Q⁵, Q⁶, W, X, Y and R⁸~~ are as defined above.


compounds of formula (XII)



~~in which~~

~~A, D, W, X, Y and R⁸~~ are as defined above.


compounds of formula (XXV)



in which

~~A, B, D, W, X and Y are as defined above.~~


compounds of the formula (XXIV)



in which

~~W, X, Y and Z are as defined above.~~


compounds of formula (XXVII)



in which

~~W, X and Y are as defined above.~~


compounds of formula (XXIX)



in which

~~A, B, D, W, X and Y are as defined above.~~


compounds of formula (XXXI)



in which

~~W, X, Y and R⁸ are as defined above.~~


compounds of formula (XXXIII)



in which

~~W, X and Y are as defined above.~~

compounds of formula (XI)



in which


~~W, X and Y are as defined above~~

and

~~U represents NH₂ or OR⁸;~~

~~where R⁸ is as defined above.~~


compounds of formula (XXXIV)



in which

~~W, X, Y, A, B, Q¹ and Q² are as defined above.~~

compounds of formula (XXXV)



in which


~~A, B, Q¹, Q², W, X and Y are as defined above~~

and

~~R⁸ and R^{8'} represent alkyl~~

~~and, if the compound of the formula (XXXVII-a) is employed, R⁸ represents hydrogen.~~


compounds of formula (XXXVIII)



in which

~~A, B, Q³, Q⁴, Q⁵, Q⁶, W, X and Y are as defined above.~~

compounds of formula (XXXIX)



in which

~~A, B, Q³, Q⁴, Q⁵, Q⁶, W, X and Y are as defined above~~


and

~~R⁸ and R^{8'} represent alkyl~~

~~and, if the compound of the formula (XXXVII b) is employed, R⁸ represents hydrogen.~~

and

compounds of formula (XLII)



in which

~~W, X and Y are as defined above.~~

W represents alkoxy, haloalkoxy, alkoxyalkoxy, alkoxybisalkoxy,

bisalkoxyalkoxy or optionally substituted cycloalkylalkanediylloxy which
may optionally be interrupted by heteroatoms,

X represents halogen,

Y represents alkyl,

A represents hydrogen, in each case optionally halogen-substituted alkyl,
alkenyl, alkoxyalkyl, alkylthioalkyl, saturated or unsaturated, optionally
substituted cycloalkyl in which optionally at least one ring atom is

replaced by a heteroatom, or in each case optionally halogen-, alkyl-, haloalkyl-, alkoxy-, haloalkoxy-, cyano- or nitro-substituted aryl, arylalkyl or hetaryl,

B represents hydrogen, alkyl or alkoxyalkyl, or

A and B together with the carbon atom to which they are attached represent a saturated or unsaturated, unsubstituted or substituted cycle which optionally contains at least one heteroatom,

D represents hydrogen or an optionally substituted radical selected from the group consisting of alkyl, alkenyl, alkynyl, alkoxyalkyl, saturated or unsaturated cycloalkyl in which optionally one or more ring members are replaced by heteroatoms, arylalkyl, aryl, hetarylalkyl or hetaryl or

A and D together with the atoms to which they are attached represent a saturated or unsaturated cycle which optionally (only in the case of CKE = 1) contains at least one heteroatom and which is unsubstituted or substituted in the A,D moiety, or

A and Q¹ together represent alkanediyl or alkenediyl optionally substituted by hydroxyl or by in each case optionally substituted alkyl, alkoxy, alkylthio, cycloalkyl, benzyloxy or aryl or

Q¹ represents hydrogen or alkyl,

Q², Q⁴, Q⁵ and Q⁶ independently of one another represent hydrogen or alkyl,

Q³ represents hydrogen, represents optionally substituted alkyl, alkoxyalkyl, alkylthioalkyl, optionally substituted cycloalkyl in which optionally one


methylene group is replaced by oxygen or sulphur, or optionally
substituted phenyl, or

Q³ and Q⁴ together with the carbon atom to which they are attached represent a
saturated or unsaturated, unsubstituted or substituted cycle which
optionally contains a heteroatom,

Z represents a leaving group


Hal represents halogen,

R⁸ and R^{8'} are alkyl, provided that in the case of a compound of formula



(XXXVII-a)

or



(XXXVII-b)

R⁸ represents hydrogen,

U represents NH₂ or OR⁸, and

V represents hydrogen, halogen, alkyl or alkoxy.

8-26. (Cancelled)

27. (Currently amended) ~~Pesticides and/or herbicides, characterized in that they comprise~~
A pesticide or herbicide comprising at least one compound of the formula (I)
according to Claim 1.

28. (Currently amended) ~~Method for controlling animal pests and/or unwanted vegetation,~~

~~characterized in that compounds~~ A method for controlling animal pests or unwanted vegetation comprising contacting a compound of the formula (I) according to Claim 1 ~~are allowed to act on pests and/or~~ with the pests or their habitat.

29. (Cancelled)

30. (Currently amended) ~~Process for preparing pesticides and/or herbicides, characterized in that compounds~~ A process for preparing pesticides or herbicides comprising mixing at least one compound of the formula (I) according to Claim 1 ~~are mixed with extenders and/or surfactants.~~ with an extender or a surfactant or a combination thereof.

31. (Currently amended) ~~Compositions~~ A composition, comprising an effective amount of an active compound combination comprising:

a') at least one substituted cyclic ketoenol of the formula (I) in which CKE, W, X and Y are as defined above

and

(b') at least one compound which improves crop plant tolerance and which is selected from the following group of compounds:


4-dichloroacetyl-1-oxa-4-aza-spiro[4.5]-decane (AD-67, MON-4660),
1-dichloroacetylhexahydro-3,3,8a-trimethylpyrrolo[1,2-a]-pyrimidin-6(2H)-one (dicyclonon, BAS-145138), 4-dichloroacetyl-3,4-dihydro-3-methyl-2H-1,4-benzoxazine (benoxacor), 1-methyl-hexyl 5-chloro-quinolin-8-oxy-acetate (~~eloquintocet-mexyl—cf. also related compounds in EP-A-86750, EP-A-94349, EP-A-191736, EP-A-492366~~), 3-(2-chloro-benzyl)-1-(1-methyl-1-phenyl-ethyl)-urea (cumyluron), α -(cyanomethoximino)-phenylacetonitrile (cyometrinil), 2,4-dichloro-

phenoxyacetic acid (2,4-D), 4-(2,4-dichloro-phenoxy)-butyric acid (2,4-DB), 1-(1-methyl-1-phenyl-ethyl)-3-(4-methyl-phenyl)-urea (daimuron, dymron), 3,6-dichloro-2-methoxy-benzoic acid (dicamba), S-1-methyl-1-phenyl-ethyl piperidine-1-thiocarboxylate (dimepiperate), 2,2-dichloro-N-(2-oxo-2-(2-propenylamino)-ethyl)-N-(2-propenyl)-acetamide (DKA-24), 2,2-dichloro-N,N-di-2-propenyl-acetamide (dichlormid), 4,6-dichloro-2-phenyl-pyrimidine (fenclorim), ethyl 1-(2,4-dichloro-phenyl)-5-trichloromethyl-1H-1,2,4-triazole-3-carboxylate (~~fenchlorazole-ethyl—cf. also related compounds in EP-A-174562 and EP-A-346620~~), phenylmethyl 2-chloro-4-trifluoromethyl-thiazole-5-carboxylate (flurazole), 4-chloro-N-(1,3-dioxolan-2-yl-methoxy)- α -trifluoro-acetophenone oxime (fluxofenim), 3-dichloroacetyl-5-(2-furanyl)-2,2-dimethyl-oxazolidine (furilazole, MON-13900), ethyl 4,5-dihydro-5,5-diphenyl-3-isoxazolecarboxylate (~~isoxadifen-ethyl—cf. also related compounds in WO-A-95/07897~~), 1-(ethoxycarbonyl)-ethyl-3,6-dichloro-2-methoxybenzoate (lactidichlor), (4-chloro-o-tolyloxy)-acetic acid (MCPA), 2-(4-chloro-o-tolyloxy)-propionic acid (mecoprop), diethyl 1-(2,4-dichloro-phenyl)-4,5-dihydro-5-methyl-1H-pyrazole-3,5-dicarboxylate (~~mefenpyr-diethyl—cf. also related compounds in WO-A-91/07874~~), 2-dichloromethyl-2-methyl-1,3-dioxolane (MG-191), 2-propenyl-1-oxa-4-azaspiro[4.5]decane 4-carbodithioate (MG-838), 1,8-naphthalic anhydride, α -(1,3-dioxolan-2-yl-methoximino)-phenylacetonitrile (oxabetrinil), 2,2-dichloro-N-(1,3-dioxolan-2-yl-methyl)-N-(2-propenyl)-acetamide (PPG-1292), 3-dichloroacetyl-2,2-


dimethyl-oxazolidine (R-28725), 3-dichloroacetyl-2,2,5-trimethyl-oxazolidine (R-29148), 4-(4-chloro-o-tolyl)-butyric acid, 4-(4-chlorophenoxy)-butyric acid, diphenylmethoxyacetic acid, methyl diphenylmethoxyacetate, ethyl diphenylmethoxyacetate, methyl 1-(2-chloro-phenyl)-5-phenyl-1H-pyrazole-3-carboxylate, ethyl 1-(2,4-dichloro-phenyl)-5-methyl-1H-pyrazole-3-carboxylate, ethyl 1-(2,4-dichloro-phenyl)-5-isopropyl-1H-pyrazole-3-carboxylate, ethyl 1-(2,4-dichloro-phenyl)-5-(1,1-dimethyl-ethyl)-1H-pyrazole-3-carboxylate, ethyl 1-(2,4-dichloro-phenyl)-5-phenyl-1H-pyrazole-3-carboxylate (~~cf. also related compounds in EP A 269806 and EP A 333131~~), ethyl 5-(2,4-dichloro-benzyl)-2-isoxazoline-3-carboxylate, ethyl 5-phenyl-2-isoxazoline-3-carboxylate, ethyl 5-(4-fluoro-phenyl)-5-phenyl-2-isoxazoline-3-carboxylate (~~cf. also related compounds in WO A 91/08202~~), 1,3-dimethyl-but-1-yl 5-chloro-quinolin-8-oxy-acetate, 4-allyloxy-butyl 5-chloro-quinolin-8-oxy-acetate, 1-allyloxy-prop-2-yl 5-chloro-quinolin-8-oxy-acetate, methyl 5-chloro-quinoxalin-8-oxy-acetate, ethyl 5-chloro-quinolin-8-oxy-acetate, allyl 5-chloro-quinoxalin-8-oxy-acetate, 2-oxo-prop-1-yl 5-chloro-quinolin-8-oxy-acetate, diethyl 5-chloro-quinolin-8-oxy-malonate, diallyl 5-chloro-quinoxalin-8-oxy-malonate, diethyl 5-chloro-quinolin-8-oxy-malonate (~~cf. also related compounds in EP A 582198~~), 4-carboxy-chroman-4-yl-acetic acid (~~AC-304415, cf. EP A 613618~~), 4-chloro-phenoxy-acetic acid, 3,3'-dimethyl-4-methoxy-benzophenone, 1-bromo-4-chloromethylsulphonyl-benzene, 1-[4-(N-2-methoxybenzoylsulphamoyl)-phenyl]-3-methyl-urea (alias N-(2-

methoxy-benzoyl)-4-[(methylamino-carbonyl)-amino]-
benzenesulphonamide), 1-[4-(N-2-methoxybenzoylsulphamoyl)-phenyl]-
3,3-dimethyl-urea, 1-[4-(N-4,5-dimethylbenzoylsulphamoyl)-phenyl]-3-
methyl-urea, 1-[4-(N-naphthylsulphamoyl)-phenyl]-3,3-dimethyl-urea, N-
(2-methoxy-5-methyl-benzoyl)-4-(cyclopropylaminocarbonyl)-
benzenesulphonamide,


and/or one of the following compounds (~~defined by general formulae~~)
of the general formula (IIa)



or of the general formula (IIb)




or of the formula (IIc)



where

m is 0, 1, 2, 3, 4 or 5,

A¹ represents one of the divalent heterocyclic groups outlined hereinbelow,



n is 0, 1, 2, 3, 4 or 5,

A² represents alkanediyl having 1 or 2 carbon atoms which is optionally substituted by C₁-C₄-alkyl ~~and/or~~ or C₁-C₄-alkoxy-carbonyl ~~and/or~~ or C₁-C₄-alkenyloxy-carbonyl,

R¹⁴ represents hydroxyl, mercapto, amino, C₁-C₆-alkoxy, C₁-C₆-alkylthio, C₁-C₆-alkylamino or di-(C₁-C₄-alkyl)amino,

R¹⁵ represents hydroxyl, mercapto, amino, C₁-C₇-alkoxy, C₁-C₆-alkenyloxy, C₁-C₆-alkenyloxy-C₁-C₆-alkoxy, C₁-C₆-alkylthio, C₁-C₆-alkylamino or di-(C₁-C₄-alkyl)amino,

R¹⁶ represents C₁-C₄-alkyl which is optionally substituted by fluorine, chlorine ~~and/or~~ or bromine,


R¹⁷ represents hydrogen, or represents C₁-C₆-alkyl, C₂-C₆-alkenyl or C₂-C₆-alkynyl, C₁-C₄-alkoxy-C₁-C₄-alkyl, dioxolanyl-C₁-C₄-alkyl, furyl, furyl-C₁-C₄-alkyl, thienyl, thiazolyl, piperidiny, each of which is optionally substituted by fluorine, chlorine ~~and/or~~ or bromine, or represents phenyl which is optionally substituted by fluorine, chlorine ~~and/or~~ or bromine or C₁-C₄-alkyl,

R¹⁸ represents hydrogen, or represents C₁-C₆-alkyl, C₂-C₆-alkenyl or C₂-C₆-alkynyl, C₁-C₄-alkoxy-C₁-C₄-alkyl, dioxolanyl-C₁-C₄-alkyl, furyl,

- furyl-C₁-C₄-alkyl, thienyl, thiazolyl, piperidinyl, each of which is optionally substituted by fluorine, chlorine ~~and/or~~ or bromine, or represents phenyl which is optionally substituted by fluorine, chlorine ~~and/or~~ or bromine or C₁-C₄-alkyl, or R¹⁷ and R¹⁸ together also represent C₃-C₆-alkanediyl or C₂-C₅-oxaalkanediyl, each of which is optionally substituted by C₁-C₄-alkyl, phenyl, furyl, a fused benzene ring or by two substituents which, together with the C atom to which they are bonded, form a 5- or 6-membered carbocycle,
- R¹⁹ represents hydrogen, cyano, halogen, or represents C₁-C₄-alkyl, C₃-C₆-cycloalkyl or phenyl, each of which is optionally substituted by fluorine, chlorine ~~and/or~~ or bromine,
- R²⁰ represents hydrogen, or represents C₁-C₆-alkyl, C₃-C₆-cycloalkyl or tri(C₁-C₄-alkyl)silyl, each of which is optionally substituted by hydroxyl, cyano, halogen or C₁-C₄-alkoxy,
- R²¹ represents hydrogen, cyano, halogen, or represents C₁-C₄-alkyl, C₃-C₆-cycloalkyl or phenyl, each of which is optionally substituted by fluorine, chlorine ~~and/or~~ or bromine,
- X¹ represents nitro, cyano, halogen, C₁-C₄-alkyl, C₁-C₄-haloalkyl, C₁-C₄-alkoxy or C₁-C₄-haloalkoxy,
- X² represents hydrogen, cyano, nitro, halogen, C₁-C₄-alkyl, C₁-C₄-haloalkyl, C₁-C₄-alkoxy or C₁-C₄-haloalkoxy,
- X³ represents hydrogen, cyano, nitro, halogen, C₁-C₄-alkyl, C₁-C₄-haloalkyl, C₁-C₄-alkoxy or C₁-C₄-haloalkoxy,


and/or or the following compounds (defined by general formulae)

of the general formula (IIId)



(IIId)

or of the general formula (IIe)



(IIe)

(IIe)

where

t is 0, 1, 2, 3, 4 or 5,

v is 0, 1, 2, 3, 4 or 5,

R²² represents hydrogen or C₁-C₄-alkyl,

R²³ represents hydrogen or C₁-C₄-alkyl,

R²⁴ represents hydrogen, or represents C₁-C₆-alkyl, C₁-C₆-alkoxy, C₁-C₆-alkylthio, C₁-C₆-alkylamino or di-(C₁-C₄-alkyl)amino, each of which is optionally substituted by cyano, halogen or C₁-C₄-alkoxy, or represents C₃-C₆-cycloalkyl,

C₃-C₆-cycloalkyloxy, C₃-C₆-cycloalkylthio or C₃-C₆-cycloalkylamino, each of which is optionally substituted by cyano, halogen or C₁-C₄-alkyl,

R²⁵ represents hydrogen, or represents C₁-C₆-alkyl which is optionally substituted by cyano, hydroxyl, halogen or C₁-C₄-alkoxy, or represents C₃-C₆-alkenyl or C₃-C₆-alkynyl, each of which is optionally substituted by cyano or halogen, or represents C₃-C₆-cycloalkyl which is optionally substituted by cyano, halogen or C₁-C₄-alkyl,

R²⁶ represents hydrogen, or represents C₁-C₆-alkyl which is optionally substituted by cyano, hydroxyl, halogen or C₁-C₄-alkoxy, or represents C₃-C₆-alkenyl or C₃-C₆-alkynyl, each of which is optionally substituted by cyano or halogen, or represents C₃-C₆-cycloalkyl which is optionally substituted by cyano, halogen or C₁-C₄-alkyl, or represents phenyl which is optionally substituted by nitro, cyano, halogen, C₁-C₄-alkyl, C₁-C₄-haloalkyl, C₁-C₄-alkoxy or

C₁-C₄-haloalkoxy, or together with R²⁵ represents C₂-C₆-alkanediyl or C₂-C₅-oxaalkanediyl, each of which is optionally substituted by C₁-C₄-alkyl,

X⁴ represents nitro, cyano, carboxyl, carbamoyl, formyl, sulphamoyl, hydroxyl, amino, halogen, C₁-C₄-alkyl, C₁-C₄-haloalkyl, C₁-C₄-alkoxy or C₁-C₄-haloalkoxy, and

X⁵ represents nitro, cyano, carboxyl, carbamoyl, formyl, sulphamoyl, hydroxyl, amino, halogen, C₁-C₄-alkyl, C₁-C₄-haloalkyl, C₁-C₄-alkoxy or C₁-C₄-haloalkoxy.

32. (Currently amended) ~~Composition~~ A composition according to Claim 31, in which the compound which improves crop plant tolerance is selected from the following group of compounds:
cloquintocet-mexyl, fenchlorazole-ethyl, isoxadifen-ethyl, mefenpyr-diethyl, furilazole, fencloirim, cumyluron, dymron or the compounds IIe-5 or IIe-11.
33. (Currently amended) ~~Method~~ A method for controlling unwanted vegetation, ~~characterized in that~~ comprising contacting a composition according to Claim 31 is ~~allowed to act on~~ with the plants or their habitat.
34. (Cancelled)
35. (Currently amended) ~~Composition~~ A composition according to Claim 31 in which the compound which improves crop plant tolerance is cloquintocet-mexyl or mefenpyr-diethyl.